



OG8201/R/N - Lincat Opus 800 Natural Gas Counter-top Griddle - Ribbed Plate - W 600 mm - 15.5 kW

With a half ribbed plate option for attractive branding presentation marks, the Opus 800 Gas Ribbed Plate Griddle is designed to create appetizing food accurately.

- ✓ Half ribbed plate option for attractive branding presentation marks
- ✓ Convenient piezo ignition and pilot Burners for stand-by operation
- ✓ Maximised cooking area, griddle plates sit flush to the sides of the unit
- ✓ Flame failure protection
- ✓ Precise thermostatic control up to 300°C for consistent results and economical operation

Specifications

Summary

Brand	Lincat
Range	Opus 800
Power Type	Gas
Gas Type	Natural Gas
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105102670

Power and Performance

BTU per Hour	52,886
Total Power kW	15.5
Temperature Range °C	90-280
Cooking Area (Width x Depth) mm	590 x 600
Temperature Control	Mechanical

Key Specifications

Number of Heat Zones	2
Grill Plate Surface Type	Half-ribbed
Grill Plate Material	Steel

Capacity

Product Output per Hour	96 x 225g [8oz] steaks [chilled]
--------------------------------	----------------------------------

Weights and Dimensions

Unit Height (External) mm	532
Unit Width (External) mm	600
Unit Depth (External) mm	800
Net Weight Kg	76.5

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	No
Gas Connection BSP	1/2"
Gas Consumption at full rate Natural m³ per Hour	1.48
Gas Pressure Natural mbar	20.0
Total heat input at full rate Natural kW	15.5
Total heat input at full rate Natural BTU per hour	15.5

Shipping

Packed Weight Kg	84.15
Packed Height cm	63
Packed Width cm	70
Packed Depth cm	85




Available Accessories

CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU

Available Accessories

- OA8917** Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm
- OA8917/C** Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8972** Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm
- OA8972/C** Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm