



TD622H32G0 - FriFri Touch 622 Electric Drop- in Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 15.0 kW

For those who run the busiest professional kitchens and refuse to compromise on quality, a Touch 622 is your newest kitchen assistant, helping you to deliver quality results every time.

- ✓ 24 one touch icon driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- ✓ Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- ✓ The 4.3" OPad is intuitive, easy to use and provides the wider functionality that only a touch screen can deliver.
- ✓ Easy-View Traffic Light Status – ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unload; amber – pre-heating; green - ready to fry.
- ✓ Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days and 28 days.
- ✓ Keeping your oil in peak condition! FriFri Oil Assistant and optional xFri© to easily monitor the condition of oil with the onscreen oil status. When prompted filter the oil even while its still hot, mid service if necessary, and resume frying in under five minutes. It is so quick and easy there is no excuse not to!
- ✓ Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, optional LiftFri© automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.
- ✓ Optimum Allergy Control. Supplied with separate oil buckets, and can be supplied with separate pumped filtration systems, providing completely segregated gravity filtration for optimum allergen control or to cater for dietary preferences.
- ✓ Pressed tank for strength and durability. Radiused corners for easy cleaning. Hinged elements with two tilt positions for draining and cleaning.
- ✓ Data driven quality. For the ultimate repeatable results view your fryer usage data hours of operation coupled with the number of cook and filter cycles. For multi-site operations configure and clone your menu easily via USB.
- ✓ Consistency across sites. Ensure consistent, great quality results across multiple sites, easily via USB.
- ✓ Invest in the future of your business with a Touch fryer. With superior construction, an industry leading high output from minimal footprint, and with easy to apply USB software updates, Touch will ensure happy, satisfied customers for many years to come.

Specifications

Summary

Brand	FriFri
Range	Touch
Power Type	Electric
Unit Type	Drop in
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105123064

Power and Performance

Total Power kW	2 x 15.0
Temperature Range °C	40-190
IP Rating	IPX4
Temperature Control	Electronic

Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	2 x 32kg fries - 7mm [frozen]
Number of Tanks	2	Capacity Litres	2 x 12.5-14.5
Gravity Filtration	Yes		
Pumped Filtration	No		
Drain Location	Through the body		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	809	Requires Installation	Yes
Unit Width (External) mm	592	Requires Electrical Supply	Yes
Unit Depth (External) mm	630	UK 3 Pin Plug	No
Net Weight Kg	94	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	2 x 15,000
		Three Phase Amps	L1=2 x 21.7; L2=2 x 21.7; L3=2 x 21.7
		Three Phase Voltage	400
		Number of Supply Cables	2

Shipping	
Packed Weight Kg	70.29
Packed Height cm	72
Packed Width cm	127
Packed Depth cm	80

Available Options		
Oil Pump		
OP1	1 Oil Pump	
OP2	2 Oil Pumps	
Basket Lift		
OL1	1 Basket Lift	
OL2	2 Basket Lifts	
Baskets		
622_2_BASKETS	2 Baskets	
622_3_BASKETS	3 Baskets	
622_4_BASKETS	4 Baskets	

Available Accessories	
FZ301093	SMALL BASKET FOR 311 - COMPLETE WITH HANDLE

**Lincat Limited**

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of

**Customer Care**

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm