



J5/P - Lincat Silverlink 600 Propane Gas Free-standing Single Tank Fryer - 1 Basket - W 300 mm - 12.0 kW

Deliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Gas Fryer.

- ✓ Single tank fryer delivering 22.5kg of chips an hour, perfect for pubs, restaurants and care homes
- ✓ Piezo ignition for easy lighting
- ✓ Front mounted controls for safety
- ✓ Heavy duty nickel plated baskets for the most demanding of operations
- ✓ Thermostatically controlled to give accurate cooking temperatures throughout cooking. Flame failure device and top temperature cut out ensures safe operation.
- ✓ Internal drain off tap for easy removal of cooking oil
- ✓ Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil

Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	38,555
Range	Silverlink 600	Total Power kW	11.3
Power Type	Gas	Temperature Range °C	110-190
Gas Type	Propane Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105105138		

Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	18kg chips -12mm [frozen], 22.5kg chips - 12mm [ch]
Number of Tanks	1	Capacity Litres	12.0
Gravity Filtration	No		
Pumped Filtration	No		
Drain Location	Internal		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1060	Requires Installation	Yes
Unit Width (External) mm	300	Requires Electrical Supply	No
Unit Depth (External) mm	690	Gas Connection BSP	1/2"
Net Weight Kg	43	Gas Consumption at full rate Propane m³ per Hour	0.81
		Gas Pressure Propane mbar	25.0
		Total heat input at full rate Propane kW	11.3
		Total heat input at full rate Propane BTU per hour	36,800


Shipping

Packed Weight Kg	47.3
Packed Height cm	122
Packed Width cm	85
Packed Depth cm	45

Available Accessories

- CH01** Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
- CH02** Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm