



## OG8111/OP/N - Lincat Opus 800 Natural Gas Free-standing Twin Tank Fryer with Pumped Filtration - 2 Baskets - W 600 mm - 32.0 kW

An accurate Opus 800 Twin-Tank Free Standing Gas Fryer which comes with two independent fryer tanks for greater versatility.

- ✔ Two independent fryer tanks for greater versatility
- ✔ Convenient piezo ignition
- ✔ Pumped oil return enables the oil to be filtered and the fryer ready for use again in less than five minutes - safe and convenient
- ✔ Oil can be filtered during or after service even whilst hot
- ✔ Externally fired heating gives easy access for cleaning tanks

### Specifications

#### Summary

|                             |                                   |
|-----------------------------|-----------------------------------|
| <b>Brand</b>                | Lincat                            |
| <b>Range</b>                | Opus 800                          |
| <b>Power Type</b>           | Gas                               |
| <b>Gas Type</b>             | Natural Gas                       |
| <b>Unit Type</b>            | Free-standing                     |
| <b>Available in UK Only</b> | No                                |
| <b>UK Warranty</b>          | 2 Years Parts and Labour Warranty |
| <b>Export Warranty</b>      | Contact your local dealer         |
| <b>GTIN</b>                 | 5056105103141                     |

#### Power and Performance

|                             |            |
|-----------------------------|------------|
| <b>BTU per Hour</b>         | 109,184    |
| <b>Total Power kW</b>       | 32.0       |
| <b>Temperature Range °C</b> | 90-190     |
| <b>IP Rating</b>            | IP24       |
| <b>Temperature Control</b>  | Mechanical |

#### Key Specifications

|                           |                  |
|---------------------------|------------------|
| <b>Number of Baskets</b>  | 2                |
| <b>Number of Tanks</b>    | 2                |
| <b>Gravity Filtration</b> | No               |
| <b>Pumped Filtration</b>  | Yes              |
| <b>Drain Location</b>     | Through the body |

#### Capacity

|                                |   |
|--------------------------------|---|
| <b>Product Output per Hour</b> | 44kg chips - 12mm [frozen], 64kg chips - 12mm [chi] |
| <b>Capacity Litres</b>         | 2 x 14.0  |

#### Weights and Dimensions

|                                  |      |
|----------------------------------|------|
| <b>Unit Height (External) mm</b> | 1070 |
| <b>Unit Width (External) mm</b>  | 600  |
| <b>Unit Depth (External) mm</b>  | 800  |
| <b>Net Weight Kg</b>             | 138  |

#### Supply Connections

|   |         |
|---|---------|
| <b>Requires Installation</b>                              | Yes     |
| <b>Requires Electrical Supply</b>                         | Yes     |
| <b>UK 3 Pin Plug</b>                                      | Yes     |
| <b>Requires Hardwiring</b>                                | No      |
| <b>Electrical Supply Rating Watts</b>                     | 100     |
| <b>Single Phase Amps</b>                                  | 0.5     |
| <b>Single Phase Voltage</b>                               | 230     |
| <b>Gas Connection BSP</b>                                 | 1/2"    |
| <b>Gas Consumption at full rate Natural m³ per Hour</b>   | 3.05    |
| <b>Gas Pressure Natural mbar</b>                          | 20.0    |
| <b>Total heat input at full rate Natural kW</b>           | 32.0    |
| <b>Total heat input at full rate Natural BTU per hour</b> | 109,189 |




**Shipping**

|                         |       |
|-------------------------|-------|
| <b>Packed Weight Kg</b> | 151.8 |
| <b>Packed Height cm</b> | 122   |
| <b>Packed Width cm</b>  | 70    |
| <b>Packed Depth cm</b>  | 85    |

**Available Accessories**

|               |                               |
|---------------|-------------------------------|
| <b>LK02</b>   | OPUS 350 LEG KIT              |
| <b>OA8955</b> | SPLASHGUARD FRYERS - OPUS 800 |

**Technical Picture**





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm