

INFINITY 60-80-100-120 START



Šok komora izrađena od S/S AISI305 za kolica, isporučena rastavljeno za povezivanje na eksternu kondezacionu jedinicu. S/S rampa, Touch control sistem od 9". Dostupni ciklusi (automatsko i manuelno podešavanje): Šok hlađenje, Šok zamrzavanje, Otapanje, Kombinovani ciklus. Multilevel funkcija, funkcija odmrzavanja, SD kartica sa video zapisima tutorijala rada uređaja i USB port za prenos HACCP podataka, multipoint sonda za merenje temperature (očitanje 4 tačke). Opciono: EvoCloud, Komplet cevi i kablova, Led svetlo, Sterilizator, Wi-fi sonda za merenje temperature. Kolica nisu uključena u standardnoj ponudi.

S/s AISI304 Blast chillers for trolleys, provided disassembled, to be connected to an external condensing unit. S/S ramp, Touch control system 9". Available cycles (automatic and manual customizable): Blast Chilling, Shock freezing, Thawing, Comby cycles. Multilevel function, defrosting function, SD CARD with tutorial videos and USB door for HACCP data download, multipoint core probe (4 reading point). Optional: EvoCloud, Tubes and cables kit, Led light, Sterilizer, Tracer, Supervisor, Wi-fi probe, Hot probe. Trolleys not included.

Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com

INFINITY 60 START

Maksimalan broj polica za / Maximum Shelves N°: 60 GN1/1 H40mm – EN600X400 (4 kolica za GN 1/1)

Dimenzije / Dimension Data

Spoljašnje dimenzije (mm) (ŠxDxV) External dimensions (mm) (WxDxH)	1390x2465x2545
Unutrašnje dimenzije (mm) (ŠxDxV) Internal Dimensions (mm) (WxDxH)	780x1630x2010
Dimenzije upakovane mašine (mm) (ŠxVxH) Packing Dimensions (mm) (WxDxH)	BOX 2310x1360x1500 EVAP. 1200x2250x760
Bruto težina (kg) Gross Weight (kg)	992
Neto težina (kg) Net Weight (kg)	744

Tehnički podaci / Technical Data


Napajanje (V/Ph/Hz) Power supply (V/Ph/Hz)	400/3/50
Kapacitet šok hlađenja (kg)*** Blast chilling yield (kg)***	400
Kapacitet šok hlađenja (kg)*** Shock freezing yield (kg)***	350
Klimatska klasa Climatic Class	5 (40°C – 40%)
Kontroler Controller	TOUCH SCREEN OD 9"

* (-30/+45° C), ** (-10/+45° C)

*** Kapaciteti šok hlađenja i zamrzavanja su izraženi u kilogramima i nisu obavezujući. Vreme hlađenja hrane zavisi od njenog sastava i veličine. Stvarno vreme hlađenja za različite namirnice se može razlikovati od naznačenog.

Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com



Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com

INFINITY 80 START

Maksimalan broj polica za / Maximum Shelves N°: 80 GN1/1 H40mm – EN600X400 (5 kolica za GN 1/1)

Dimenzije / Dimension Data

Spoljašnje dimenzije (mm) (ŠxDxV) External dimensions (mm) (WxDxH)	1390x3070x2545
Unutrašnje dimenzije (mm) (ŠxDxV) Internal Dimensions (mm) (WxDxV)	780x2230x2010
Dimenzije upakovane mašine (mm) (ŠxVxH) Packing Dimensions (mm) (WxDxH)	BOX 2370x1360x1500 EVAP. 1200x2250x760
Bruto težina (kg) Gross Weight (kg)	1092
Neto težina (kg) Net Weight (kg)	819

Tehnički podaci / Technical Data


Napajanje (V/Ph/Hz) Power supply (V/Ph/Hz)	400/3/50
Kapacitet šok hlađenja (kg)*** Blast chilling yield (kg)***	500
Kapacitet šok hlađenja (kg)*** Shock freezing yield (kg)***	450
Klimatska klasa Climatic Class	5 (40°C – 40%)
Kontroler Controller	TOUCH SCREEN OD 9"

* (-30/+45° C), **(-10/+45° C)

*** Kapaciteti šok hlađenja i zamrzavanja su izraženi u kilogramima i nisu obavezujući. Vreme hlađenja hrane zavisi od njenog sastava i veličine. Stvarno vreme hlađenja za različite namirnice se može razlikovati od naznačenog.

Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com



Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com

INFINITY 100 START

Maksimalan broj polica za / Maximum Shelves N°: 100 GN1/1 H40mm – EN600X400 (6 kolica za GN 1/1)

Dimenzije / Dimension Data

Spoljašnje dimenzije (mm) (ŠxDxV) External dimensions (mm) (WxDxH)	1390x3470x2545
Unutrašnje dimenzije (mm) (ŠxDxV) Internal Dimensions (mm) (WxDxH)	780x2630x2010
Dimenzije upakovane mašine (mm) (ŠxVxH) Packing Dimensions (mm) (WxDxH)	BOX 2370x1360x1600 EVAP. 1200x2250x760
Bruto težina (kg) Gross Weight (kg)	1410
Neto težina (kg) Net Weight (kg)	1058

Tehnički podaci / Technical Data


Napajanje (V/Ph/Hz) Power supply (V/Ph/Hz)	400/3/50
Kapacitet šok hlađenja (kg)*** Blast chilling yield (kg)***	600
Kapacitet šok hlađenja (kg)*** Shock freezing yield (kg)***	550
Klimatska klasa Climatic Class	5 (40°C – 40%)
Kontroler Controller	TOUCH SCREEN OD 9"

* (-30/+45° C), **(-10/+45° C)

*** Kapaciteti šok hlađenja i zamrzavanja su izraženi u kilogramima i nisu obavezujući. Vreme hlađenja hrane zavisi od njenog sastava i veličine. Stvarno vreme hlađenja za različite namirnice se može razlikovati od naznačenog.

Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com



Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com

INFINITY 120 START

Maksimalan broj polica za / Maximum Shelves N°: 120 GN1/1 H40mm – EN600X400 H40mm (8 kolica za GN 1/1)

Dimenzije / Dimension Data

Spoljašnje dimenzije (mm) (ŠxDxV) External dimensions (mm) (WxDxH)	1390x4070x2545
Unutrašnje dimenzije (mm) (ŠxDxV) Internal Dimensions (mm) (WxDxH)	780x3230x2010
Dimenzije upakovane mašine (mm) (ŠxVxH) Packing Dimensions (mm) (WxDxH)	BOX 2370x1360x1600 EVAP. 1200x2250x760
Bruto težina (kg) Gross Weight (kg)	1762
Neto težina (kg) Net Weight (kg)	1322

Tehnički podaci / Technical Data


Napajanje (V/Ph/Hz) Power supply (V/Ph/Hz)	400/3/50
Kapacitet šok hlađenja (kg)*** Blast chilling yield (kg)***	700
Kapacitet šok hlađenja (kg)*** Shock freezing yield (kg)***	650
Klimatska klasa Climatic Class	5 (40°C – 40%)
Kontroler Controller	TOUCH SCREEN OD 9"

* (-30/+45° C), **(-10/+45° C)

*** Kapaciteti šok hlađenja i zamrzavanja su izraženi u kilogramima i nisu obavezujući. Vreme hlađenja hrane zavisi od njenog sastava i veličine. Stvarno vreme hlađenja za različite namirnice se može razlikovati od naznačenog.

Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com



Sva tehnička specifikacija je sklona promenama, bez prethodne najave. / All specification are subject to change without notice.

Pak sistemi doo, Bajči Žilinskog 5, Novi Sad, tel: 021/661 44 69, web: www.paksistemi.com